

To: Appleby, Charlie[Appleby.Charlie@epa.gov]
Cc: Gannon, Nick[Gannon.Nick@epa.gov]; Hoff, Melanie[Hoff.Melanie@epa.gov]; Myer, Shari[Myer.Shari@epa.gov]
From: Goodrich, Donald
Sent: Mon 8/10/2015 6:45:36 PM
Subject: RE: Inorganic Analytical Support for R8

Hi Charlie, sorry, I'm off site today. Yes, CLP can split the SPLPs between two labs. I will let the program know if we need CLP support for the Animas spill response. I will also notify the spill response team that CLP can offer 24 hour TATs!!!

Thanks, Don

Don Goodrich

US EPA Region 8

office: 303-312-6687

cell: 303-905-4024

From: Appleby, Charlie
Sent: Monday, August 10, 2015 12:18 PM
To: Goodrich, Donald
Cc: Gannon, Nick; Hoff, Melanie; Myer, Shari
Subject: Inorganic Analytical Support for R8

Don,

I left a message on your desk phone this morning about whether we can split SPLP samples between two CLP labs. We also want to let you know the CLP has some capacity for metals screening which we could confirm within 24 hours.

Please feel free to call me or any of us to discuss.

Charlie Appleby

CLP Organic and NRAS Program Manager

Analytical Services Branch

OSWER/OSRTI/TIFSD

(703) 347-0266 (Potomac Yard)

(703) 405-0057 (Mobile)